Guidelines for Water Reuse

Appendix C

Abbreviations and Acronyms

Acronyms

AID ANSI AWT AWWA	U.S. Agency for International Development American National Standards Institute advanced wastewater treatment American Water Works Association	O3 O&M OM&R OWRT	ozone operations and maintenance operations, maintenance and replacement Office of Water Research and Technology
BNR BOD	biological nutrient removal biochemical oxygen demand	PAC PCB POTW	powder activated carbon polychlorinated biphenyls publicly owned treatment works
CBOD CFU	carbonaceous biochemical oxygen demand colony forming units	PVC	polyvinyl chloride
COD COE	chemical oxygen demand U.S. Army Corps of Engineers	QA/QC	quality assurance/quality control
CWA	Clean Water Act	RAS RBC	return activated sludge rotating biological contactor
DO	dissolved oxygen	RO	reverse osmosis
EC EIS	electrical conductivity environmental impact statement	SAR SAT	sodium adsorption ratio soil aquifer treatment
EPA ESA	U.S. Environmental Protection Agency external support agency	SBA SDWA	Small Business Administration Safe Drinking Water Act
ET	evapotranspiration	SOC SRF	synthetic organic chemical State Revolving Fund
FC	fecal coliform	SS	suspended solids
FmHA	Farmers Home Administration	TCE	trichloroethylene
GAC GC/MS	granular activated carbon gas chromatography/mass spectroscopy	TDS THM	total dissolved solids trihalomethane
		TKN	total Kjeldahl nitrogen
HPLC	high pressure liquid chromatography	TN TOC	total nitrogen total organic carbon
IAWPRO	International Association on Water Pollution Research and Control	TOH TOX	total organic hydrocarbons total organic halides
ICP	inductively coupled plasmography	TP	total phosphorus
I/I IOC	infiltration/inflow inorganic chemicals	TPH TSS	total petroleum hydrocarbon total suspended solids
IRCWD	International Reference Centre for Waste		·
IRWD	Disposal Irvine Ranch Water District	UN USDA UV	United Nations U.S. Department of Agriculture ultraviolet
MCL MCLG	maximum contaminant level		
MDL	maximum contaminant level goal method detection limit	VOC	volatile organic chemicals
MPN	most probable number	WAS WASH	waste activated sludge Water and Sanitation for Health
NEPA NPDES	National Environmental Policy Act National Pollutant Discharge Elimination	WHO WPCF	World Health Organization Water Pollution Control Federation
	System	WRF	water reclamation facility
NPDWR NRC NTU	National Primary Drinking Water Regulations National Research Council nephelometric turbidity units	WWTF	wastewater treatment facility
NTU	nephelometric turbidity units		

Abbreviations for Units of Measure

Acre	ac
Acre-foot	AF
British thermal unit	Btu
cubic feet per second	cfs
cubic meter	m ³
cubic meters per day	m ³ /d
cubic meters per second	m ³ /s
Curie	Ci
cycles per second	cps
degrees Celsius	°C
degrees Fahrenheit	°F
feet (foot)	ft
feet per year	ft/yr
Gallon	g
gallons per day	gpd
gallons per minute	gpm
hectare	ha
horsepower	hp
hour	hr
Inch	in
kilogram	kg
kilometer	km
kiloPascal	kPa
kilowatt	kW
kilowatt hour	kWh
Liter	I
liters per capita per day	lcd

liters per second	l/s
meter	m
meters per second	m/s
microgram	μg
micrograms per liter	μg/l
micrometer	μm
mile	mi
mile per hour	mph
milligram	mg
milligrams per liter	mg/l
millilter	ml
millimeter	mm
million gallons per day	mgd
milliquivalent per liter	meq/l
minute	min
megawatt	mW
million acre feet per year	MAFY
pascal	Pa
plaque forming unit	pfu
pound	lb
pounds per square inch	psi
roentgen	R
second	S
square foot	ft ²
square inch	in ²
square meter	m^2
year	yr